

	Circumference	
Band Size	Min.	Max.
Small	140mm (5.5")	229mm (9")
Medium	152mm (6")	279mm (11")
Large	178mm (7")	305mm (12")

Item	Band Size	Coil Cord
229961	Small	Not Included
<u>229962</u>	Medium	Not Included
229963	Large	Not Included
<u>229964</u>	Small	183cm (6') (<u>229955</u>)
<u>229965</u>	Medium	183cm (6') (<u>229955</u>)
229966	Large	183cm (6') (<u>229955</u>)
229967	Small	366cm (12') (<u>229956</u>)
229968	Medium	366cm (12') (<u>229956</u>)
229969	Large	366cm (12') (<u>229956</u>)

U.S. Patent Pending

- A. 0.051mm polyphenylsulfone sheet laminated to each link. Provides >5,000 Volt RMS insulation per ASTM D149. Will not flake or peel.
- B. Unique dual contact design is to be paired with a <u>Vermason MagSnap™ 360 Coil Cord</u> (not included) for a superior electrical connection. The magnetic connection made with the coil cord meets the 1-5 pound perpendicular breakaway force requirement per ANSI/ESD S1.1 to prevent accidental disconnects while allowing the worker to untether when needed.
- C. Black ABS plastic cap. Molded with "MagSnap 360" trademark.
- D. Underwriters Laboratory Listing 90P1C.
- E. Inside links are constructed of 300 Series Stainless Steel. Width of links is 16mm.
- F. Black ABS plastic insulator separates band into halves.

Meets required limits of EN 61340-5-1 and requirements of ANSI/ESD S1.1.





Unless otherwise noted, tolerance ±10%

Specifications and procedures subject to change without notice.

MAGSNAP 360™ DUAL-WIRE METAL EXPANSION WRISTBAND



VERMASON

UNIT C, 4TH DIMENSION, FOURTH AVENUE, LETCHWORTH, HERTFORDSHIRE, SG6 2TD, UNITED KINGDOM PHONE: +44 (0) 1462-672005

E-MAIL: Service@Vermason.co.uk, INTERNET: Vermason.co.uk

DRAWING NUMBER 229961 DATE August 2014